



## Julia Rocking Chair Assembly and User Manual

Item# FRN-014763  
M45508




The schematics in this manual are for assembly and operation illustration only. They may differ from the chair's actual appearance.



www.atleisure.com  
ATLANTA, GEORGIA  
**Customer Service Toll Free 1-855-880-7205**  
Monday through Friday from 8:00am-5:00pm  
(Eastern Time)

For additional product information, please contact our  
Customer Service Center toll free at 1-855-880-7205  
between 8am and 5pm Eastern Time, Monday through Friday.



**90-DAY WARRANTY**

This product is covered under a manufacturer’s 90-day warranty from date of purchase against defects in materials and workman-ship. This warranty does not cover damage due to neglect, abuse or weather related damage. For full warranty disclosure, email us at [customerservice@atleisure.com](mailto:customerservice@atleisure.com), call toll free at 1-855-880-7205 or send mail to 1040 Boulevard SE Ste. A, Atlanta GA 30312.

**HOW TO FILE A CLAIM**

If you are within your warranty you must have your receipt and pictures of your information to send to ATLeisure at [customerser-vice@atleisure.com](mailto:customerser-vice@atleisure.com), or send by mail to 1040 Boulevard SE Ste. A, Atlanta GA 30312.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

- Use mild soap and warm water to clean the frames. Rinse with clean water and dry thoroughly. Be sure to drain any water accumulated inside the frames. To thoroughly drain frames, remove footcaps and tilt frames, if necessary, to remove all water. Water allowed to accumulate inside the frames and then exposed to sub-freezing temperatures can cause damage to the frame tubing. Such damage is not covered under warranty. Any rust spots should be lightly sanded and treated with rust inhibitor and followed with an application of touch-up paint. Small nicks and scratches can be covered with an application of touch-up paint. Use commercially available glass cleaners, do not use abrasive materials, cleansers or bleach products.


PART	DESCRIPTION	QTY(PC)
A	Inner Hexagon Wrench	1pc
B	Bolt (M6x15)	4pc
C	Washer	4pc
D	Bolt (M6x55)	4pc
E	Left Arm	1pc
F	Right Arm	1pc
G	Back of Chair	1pc
H	Seat of Chair	1pc
I	Bottom Bar	1pc

## 4. Assembly Instructions |


Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list. If any part is missing or damaged, contact our customer service toll free at **1-855-880-7205** for replacement parts or further instructions.

**Caution:** do not use sharp objects such as a knife and scissors when removing the protective material, as it may damage the product.

**Step 1:** Using bolts (B) attach Back (G) and Bottom Bar (I) to Right Arm (F). Do not tighten the bolts too much.



**Step 2:** Using bolts (B) attach Back (G) and Bottom Bar (I) to Left Arm (E). Do not tighten the bolts too much.



## | Assembly Instructions (cont.) 5.

**Step 3:** Using bolt (D) and washer (C) attach seat (H) to right Arm (F) and Left Arm (E). Check and adjust the chair to make sure it is level. Finally tighten up all the bolts using hex wrench (A).

